

BATCH# I2CT.1.US.

PYRIPROXYFEN	GROUP	7C	INSECTICIDE
<i>Beauveria bassiana</i> Strain GHA	GROUP	UN	INSECTICIDE

In2Mix®

For Use In The In2Care® Mosquito Station

Controls **Aedes** mosquitoes that may transmit Zika, Chikungunya, and Dengue Fever

Controls container-breeding **Culex** larvae that could develop into adults that may transmit West Nile virus

Kills **Aedes** and **Culex** adult mosquitoes within 9 days

Controls mosquito larvae in surrounding breeding places

**THIS PRODUCT IS NOT INTENDED FOR HOMEOWNERS
READ ALL LABEL DIRECTIONS COMPLETELY BEFORE USE**

Active Ingredients:	% w/w
Pyriproxyfen (CAS No. 95737-68-1)	74.03%
<i>Beauveria bassiana</i> strain GHA* (CAS No. 63428-82-0)	10.00%
Other Ingredients	15.97%
Total	100.00%

* Contains not less than 4.5 X 10⁶ viable spores/gm.

KEEP OUT OF REACH OF CHILDREN

CAUTION

**SEE LABEL BOOKLET FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND COMPLETE
DIRECTIONS FOR USE**

FIRST AID

If in Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
-------------------	---

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call the poison control center at 1-800-222-1222. For non-emergency general information on this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMAN AND DOMESTIC ANIMALS

Causes moderate eye irritation. Avoid contact with eyes, or clothing. Wear appropriate protective eyewear. Avoid breathing dust. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container when not in use. Store in a cool, dry, well-ventilated area that is inaccessible to children and animals. For optimal long-term storage, do not store above 73° F (23° C). Store this product in a place away from strong bases, strong acids, sources of ignition and direct sunlight. During transport and field use, keep In2Mix® packages below 110° F (43° C) at all times by avoiding sunlight and heat, and using isolation packaging.

PESTICIDE DISPOSAL: Dispose of used gauze in a sanitary landfill, or by other procedures approved by state and local authorities. Dispose of used water by the In2Care® Mosquito Station by pouring onto the ground, and not near a water source. Prevent entry of used water into sewers, gutters, or drains, or any area where drainage to storm sewers, water bodies, or aquatic habitat can occur. Notify authorities if liquid enters sewers or public waters.

CONTAINER HANDLING: Non-refillable container. Completely empty In2Mix® package into the In2Care® Mosquito Station by shaking and tapping sides and bottom to loosen clinging particles. When completely empty, dispose of empty package in trash or by other procedures approved by state and local authorities.



Manufactured by: In2Care B.V. Marijkeweg 22, 6709 PG Wageningen, The Netherlands

EPA Reg. No.: 91720-1

EPA Est. No.: 91720-NLD-1

Net Weight: 12.5 g (0.44 oz.)

25 packages x 0.5 g each (0.018 oz.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container when not in use. Store in a cool, dry, well-ventilated area that is inaccessible to children and animals. For optimal long-term storage, do not store above 73° F (23° C). Store this product in a place away from strong bases, strong acids, sources of ignition and direct sunlight. During transport and field use, keep In2Mix® packages below 110° F (43° C) at all times by avoiding sunlight and heat, and using isolation packaging.

PESTICIDE DISPOSAL: Dispose of used gauze in a sanitary landfill, or by other procedures approved by state and local authorities. Dispose of used water by the In2Care® Mosquito Station by pouring onto the ground, and not near a water source. Prevent entry of used water into sewers, gutters, or drains, or any area where drainage to storm sewers, water bodies, or aquatic habitat can occur. Notify authorities if liquid enters sewers or public waters.

CONTAINER HANDLING: Non-refillable container. Completely empty In2Mix® package into the In2Care® Mosquito Station by shaking and tapping sides and bottom to loosen clinging particles. When completely empty, dispose of empty package in trash or by other procedures approved by state and local authorities.

NOTICE: To the extent consistent with applicable law, buyer and user assume all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label.



In2Care®
Mosquito Control Solutions

Manufactured by:
In2Care B.V.
Marijkeweg 22, 6709 PG
Wageningen,
The Netherlands

EPA Reg. No.: 91720-1
EPA Est. No.: 91720-NLD-1
Net Weight: 12.5 g (0.44 oz.)
25 packages x 0.5 g each (0.018 oz.)

USER SAFETY RECOMMENDATIONS

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMAN AND DOMESTIC ANIMALS
Causes moderate eye irritation. Avoid contact with eyes, or clothing. Wear appropriate protective eyewear. Avoid breathing dust, water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

If in Eyes
Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call the poison control center at 1-800-222-1222. For non-emergency general information on this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378.

PYRIPROXYFEN	GROUP	/C	INSECTICIDE
Beauveria bassiana Strain GH1A	GROUP	UN	INSECTICIDE

In2Mix®

For use in the In2Care® Mosquito Station

Controls *Aedes* mosquitoes that may transmit Zika, Chikungunya, and Dengue Fever

Controls container-breeding *Culex* larvae that could develop into adults that may transmit West Nile virus

Kills *Aedes* and *Culex* adult mosquitoes within 9 days

Controls mosquito larvae in surrounding breeding places

THIS PRODUCT IS NOT INTENDED FOR HOMEOWNERS

SHAKE In2Mix® PACKAGE BEFORE USE

READ ALL LABEL DIRECTIONS COMPLETELY BEFORE USE

Active Ingredients:	% w/w
Pyriproxyfen (CAS No. 95737-68-1)	74.03%
Beauveria bassiana strain GH1A* (CAS No. 63428-82-0)	10.00%
Other Ingredients	15.97%
Total	100.00%

* Contains not less than 4.5 X 10⁶ viable spores/gm.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE LABEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND COMPLETE DIRECTIONS FOR USE

HOW IT WORKS

- **READ ALL LABEL DIRECTIONS COMPLETELY BEFORE USE.**
- **SHAKE In2Mix® PACKAGE BEFORE USE.**
- **FOR OUTDOOR USE ONLY.**
- **DO NOT allow people or pets to contact the pesticide.**


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not apply directly to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters. Application of this product is prohibited directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. This product is highly toxic and may be pathogenic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

HOW TO ASSEMBLE THE IN2CARE® MOSQUITO STATION




STEP 1:

1. Fill the base of the In2Care® Mosquito Station with 5 quarts (4.7 liters) of clean tap water.



2. SHAKE THE In2Mix® PACKAGE THOROUGHLY. Open by tearing at the notches and gently take out the powdercoated gauze strip.




3. Empty the remaining contents (powder and odor tablets) of the In2Mix® package into the water in the base of the In2Care® Mosquito Station. Do not allow the gauze to get wet.




STEP 2:


1. To attach the In2Mix® gauze strip to the floater, slide the loop at the end of the gauze over the pin as shown. Handle the gauze carefully to avoid removal of the active powders.



2. Wrap the gauze around the floater and slide the other gauze loop on the last pin as shown. Work your way around moving the gauze down at each pin.



3. Push the gauze down the pins until it will go no further (where the bottom of the pin hits the circular rib). The rib will prevent the gauze from sliding down too far.




STEP 3:

1. Place the assembled floater inside the base of the In2Care® Mosquito Station by gently placing it over the central tube flat onto the water.

Do not allow the gauze to get wet as water will degrade the powder.



2. Place the lid on the central tube, push it down and turn it clockwise.




3. Turn the time indicator to the number of the current month as a service reminder.



WHERE TO PLACE

1. Place the water-filled In2Care® Mosquito Station outside on the ground in a level, shaded location near human habitation. Avoid locations with direct sunlight; continuous shade is needed.




For best results, remove and/or empty artificial water containers (e.g., flower pots, plastic cups, car tires, etc.) and natural breeding sites (e.g., puddles, tree holes, etc.). Larger water bodies that cannot be removed or emptied should be (frequently) treated with appropriate mosquito larvicides.

2. For optimal coverage, place at least 1 In2Care® Mosquito Station every 4,300 sq. feet (400 sq. meters), or at least 10 stations per acre in areas where *Aedes* and/or *Culex* spp. mosquitoes breeding can be expected. Do not exceed 15 stations per acre.



3. When necessary, stability can be improved by securing the In2Care® Mosquito Station to the ground with the following:


- a. Wire bracket, available separately from the distributor, which snaps onto the base. The wire bracket can be screwed onto a surface or fixed with a ground pin.
- b. Zip tie (not included). Zip Tie spec: width: 4.8mm length: 600mm. The loop can be tied to a pin or hook.
- c. The base may also be attached to a pole, shrub or tree by using zip ties or a small rope tied through the holes in the rim of the base.



NOTE: *Aedes* and *Culex* spp. Mosquitoes can have very specific breeding preferences within certain locations. Check for the presence of live and dead mosquito larvae inside the In2Care® Mosquito Station every 4 to 6 weeks. When a station continuously has zero or much fewer larvae when compared to other nearby stations, the unattractive station should be relocated to another nearby shaded location.


MAINTAINING THE IN2CARE® MOSQUITO STATION

1. Re-visit each In2Care® Mosquito Station every 4 to 6 weeks for *Aedes* mosquitoes. For optimal control of *Culex* mosquitoes, service the stations every 4 weeks. Remove the lid by turning counterclockwise until it stops and lift up.




NOTE: In hot and dry climates the water level must be checked more frequently. Add water as necessary to maintain the correct amount (5 quarts; 4.7 liters) in the base of the In2Care® Mosquito Station.

2. Take out the floater and dispose of the used gauze and water as indicated in the STORAGE AND DISPOSAL section of this label.



3. Remove leaves or other debris that may have fallen into the base of the In2Care® Mosquito Station. Refill the station with 5 quarts (4.7 liters) of clean tap water.



4. Take a new In2Mix® package and repeat Steps 1 & 2 in HOW TO ASSEMBLE.

